Abasa, R. O., (see Langley, P. A.) 6, 10, 42, 55
Acanthia lectularia, 56
Acanthocheilonema perstans, 54
Actebia fennica, 91, 97, 98
Aculichneumon, 118
Adenostyles, 382
Adephaga, 345
Adesmia, 367, 370
Adesmiini, 357, 360, 364, 371, 376
Adler, S., 10, 11, 14, 17, 27, 48
Aedes, 25, 30, 45
aegypti, 6, 7, 9, 11, 12, 14, 17, 18, 19, 20, 21, 23, 24, 25, 26, 29, 30, 31, 33, 34, 35, 36, 37, 38, 40, 41, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 56, 57, 58, 60, 124, 125
africanus, 124
albimanus, 11
albopictus, 7, 44, 45
argenteus, 11
atropalpus, 7, 41, 54
australis, 30, 33
calopus, 14
cantans, 6, 9, 20
cell lines, 125
cinereus, 6, 9, 20, 44
detritus, 6, 9, 14, 20
dorsalis, 20
geniculatus, 20
hexodontus, 9, 29, 49
infirmatus, 9
notoscriptus, 30, 33
punctor, 6, 9, 20
quadrimaculatus, 7
rusticus, 14
scutellarus, 30, 33
simpsoni, 124
sollicitans, 7, 9, 45
(Stegomyia) aegypti, 49
sticticus, 9
stimulans, 18
subalbatus, 7
taeniorhynchus, 7, 9
togoi, 23
trichurus, 30
triseriatus, 7, 9
vexans, 7, 9, 14
Aeolothripidae, 123
Aeolothripinae, 123
Aeolothripini, 123
Aeolothripoidea, 123
Agamermis, 83, 112, 113, 115, 116
Agromyza reptans, 76
rufipes, 76
Agromyzid, 394
Agromyzidae, 76, 395, 396
boreal, 67-75, 377-394
larval host-plants, 67, 70
Agroperina dubitans, 95
Agrotis gladiaria, 104, 107
orthogonia, 84, 85, 87, 90, 94, 102, 104, 107, 110
venerabilis, 110
ypsilon, 90, 107
Akidini, 376
Akov, S., 19, 23, 29, 31, 36, 40, 41, 48
Alaephus, 361
Alleculidae, 358, 359, 360, 361, 362, 375, 376
Alleculinae, 362
Allen, H. W., 87, 93, 117
Allen, J. R., (see Gosbee, J.) 17, 52
allopatric populations, 139
Alphitobius piceus, 353, 355
Alysiinae, 394
Amathes smithi, 110
Amblyteles subfuscus, 98
amphibius subgroup, 320, 340
Amphipods, 353
Anderson, J. R., 6, 10, 22, 32, 49
Andropolia, 91
contacta, 91
vancouvera, 91
Anectus, 373, 374
vestitus, 373
Anisopygys, 118
Anopheles, 18, 20, 24, 45, 49, 55, 56, 58
aconitus, 20
albimanus, 7, 9, 54
aquasalis, 30
aztecus, 7
bifurcatus, 44
claviger, 15, 20
crucians, 15
culicifacies, 20
freeborni, 7, 17, 43
funestus, 18, 19, 53

Anopheles (continued)
gambiae, 18, 19, 23, 24, 25, 53, 124
jamesii, 15
labranchiae, 46
labranchiae atroparvus, 15, 23, 24, 25, 29
litoralis, 9
ludlowae, 9, 21
maculatus, 9, 15
maculipennis, 11, 13, 15, 19, 20, 24, 29, 33, 38, 39, 41, 43, 44, 45, 49, 50, 53, 56, 58, 60
maculipennis atroparvus, 23
maculipennis maculipennis, 15
maculipennis messeae, 15
minimus, 9
plumbeus, 13, 15
punctipennis, 15
punctulatus, 19
quadrimaculatus, 7, 9, 13, 15, 17, 20, 21, 31, 33, 45, 46, 54, 56
rossi, 15
sacharovi, 29, 43
stephensi, 15, 23, 24, 25, 26, 43, 44, 52
subpictus, 15
superpictus, 29, 43
tarsimaculatus, 11, 57
vagus, 18
Anophelines, 50, 57
ants, 129
Antherea eucalypti, 125
Antroforceps, 345
bolivari, 196, 197
Apanteles, 102, 103
acronyctae, 102, 103-104, 112, 113
griffini, 102, 104, 108, 113, 116
laeviceps, 102, 105, 113, 114, 115, 116
Apaulina avium, 17
Aphaniptera, 6
Aphids, 126
Aphroteniinae, 345
Apis mellifera, 49
aquatic invertibrates, 4
Arachnids, 51
Archips argyrospilus, 102, 119
arechavaletae group, 171, 192-194, 314, 317, 323
arechavaletae (continued)
lineage, 314, 323
-truquii-capitalis lineage, 311, 314, 315
arimao subgroup, 321, 339, 340
Armigeres subalbatus, 9, 31
Armyworm, 117, 120
wheat-head, 120
Arnal, A., 21, 26, 49
Arnaud, P. H., (see Sabrosky, C. W.) 84, 87, 90, 119
Arnett, R. H., 358, 361, 374
Artemisia, 381
Arthropod, 5, 44, 59, 130, 375, 376
cell cultures, 125-127
cryptozoan, 351-353
hosts, 55
tissue, 126
Asidinae, 358, 362
Asidini, 358, 360, 364, 375
Atkinson, N. J., (see King, K. M.) 82, 83, 84, 85, 87, 90, 91, 94, 95, 98, 101, 102, 107, 110, 114, 118
Azambuja, C. E. A., (see Rachou, R. G.) 9, 57
Baart, E. E., (see Grobbelaar, J. H.) 351, 352, 353
Bacillus pestis, 49
Bacot, A. W., 7, 44, 49
Bailey, L., 12, 49
Baker, A. W., 91, 117
Ball, G. E., 287, 307, 311, 331, 335, 345
Baptist, B. A., 13, 14, 17, 49
Barlow, C. A., 9, 49
Barr, T. C., 197, 345
Barrington, E. J. W., 5, 49
basalis group, 165, 166, 170, 184-186, 312, 315, 317, 322, 323
lineage, 314, 315, 323
-truquii lineage, 315
Bastide, P., (see Combre, A.) 41, 50
Bates, H. W., 133, 158, 173, 182, 191, 192, 204, 216, 231, 232, 254, 256, 345
Bates, M., 11, 21, 29, 43, 46, 49
Beatty, H. A. (see O'Connor, F. W.) 6, 9, 56
Becla, F. (see Kryński, S.) 6, 8, 23, 54
bee, 129
fly, 117
Beesley, W. N., (see Kershaw, W. E.) 54
Beiger, M., 381, 383, 387, 394

Bělíček, J., 63-64
Bell, R. T., 143, 345
Bembidiine, 335
Bennett, G. F., 6, 9, 10, 49
Berecyntus, 107
bakeri, 107
bakeri var. *arizonensis*, 107
bakeri var. *bakeri*, 107
bakeri var. *euxoae*, 107
bakeri var. *gemma*, 107, 118, 119
Berg, V. L., 93, 117
Bertram, D. S., 23, 24, 49
Beytout, D., (see Combre, A.) 41, 50
Bier, M., (see Buck, F. F.) 36, 50
Bird, R. C. (see Bertram, D. S.) 23, 24, 49
Bishop, A., 33, 45, 49
Bishop, F. C., 22, 49
Blackflies, 17, 31, 38, 47, 51, 52, 60
Blackwelder, R. E., 141, 302, 306, 345
Blaisdell, F. E., 359, 361, 370, 373, 374
Blaps, 359
Blaptini, 359, 360
Blatchley, W. S., 141, 345
blood-sucking insects, 47, 48, 50, 52
digestive physiology of, 5-48
Blowfly, 51
larvae, 36
Blumberg, D. R., 358, 374
Bock, W. J., 335, 345
Bohart, G. E., 93, 117
Boissezon, P., 26, 49
Bombardier beetles, 346
Bombyliid, 93, 112, 116
immature, 93
parasite, 117
pupae, 117
Bombyliidae, 93-95, 113, 117, 118, 119
Bombyx mori, 126
Bonnetia comta, 87-90, 92, 94, 113, 116
Boorman, J. P. T., 6, 9, 12, 18, 49
Boros, 358
Böving, A. G., 361, 374
Bowman, L., (see Hudson, A.) 18, 54
Brachinida, 302, 305, 308, 346
Brachinus, 131, 132, 307, 308, 309, 328, 329, 330, 331, 334
conformis, 308
cyanipennis, 308
medius, 308
Brachinus (continued)
oaxacensis, 308
ovipennis, 308
patruelis, 308
tenuicollis, 308
Brachycera, 6
brachypterous, 143
Braconidae, 102-107, 113, 117, 119, 394
Branchini, 361, 362, 363, 364, 367
classification of, 370-374
Branchus, 363, 369, 373, 374
floridanus, 363, 364, 365, 366, 369, 373
woodii, 363, 364
Breigel, H., 33, 49
brevisetosus group, 168, 206-208, 302, 311, 317, 318, 320, 341
Brimley, C. S., 141, 345
Brooks, A. R., 84, 87, 93, 94, 95, 112, 117
Brown, K. W., 358, 375
Brown, W. L. Jr., 287, 292, 336, 345
Brundin, L., 302, 303, 304, 345
Buck, A. de, 13, 15, 16, 19, 38, 39, 45, 49, 50
Buck, F. F., 36, 50
bugs, 14
blood-sucking, 7
Buhr, H., 383, 387, 392, 394
Bull, C. G., 29, 50
Bursell, E., 34, 50
(see Rajagopal, P. K.) 7, 57
Büttiker, W., 20, 50
Buxton, P. A., 5, 6, 8, 10, 50
(see Weitz, B.) 28, 29, 31, 32, 59
Cabasso, V. 22, 50
Caires, P. F., de, (see Micks, D. W.) 33, 56
Calliphora erythrocephala, 51
Calycomyza, 378
Camin, J. H., 141, 315, 345
Campoletis, 100
atkinsoni, 98-100, 105, 113, 114, 115, 116
Campos, M., (see Freitas, J. R.) 34, 52
Capek, M., 102, 117
capitalis group, 171, 198, 302, 311, 317, 323, 327
lineage, 311, 314, 315, 322, 323
Caprifoliaceae, 69
Carabici, 348
carabid beetles, 139, 353
Carabidae, 118, 345, 346, 347, 348

Carabinae, 346
carinatus group, 170, 189-191, 317, 323
lineage, 323
Cartwright, E., (see Friend, W. G.) 7, 52
Casey, T. L., 358, 361, 362, 370, 371, 373, 375
Castelnau (de Laporte), F. L. N. C., 133, 345
Cediopsylla inaequalis inaequalis, 22
Centronopus, 359
Ceratophyllus fasciatus, 28, 56
Ceratopogonidae, 10, 52, 54, 55, 56, 58
cesium tagging, 6
Chalcidoidea, 119
Chamberlain, R. W., 44, 50
Champion, G. C., 362, 373, 375
Champlain, R. A., 11, 17, 42, 50
Chao, J., 21, 50
Chapman, H. C., (see Woodard, D. B.) 9, 59
Chapman, R. F., 109, 117
Chasmias, 118
Chellappah, W. T., (see Zaman, V.) 31, 60
Chilopods, 353
Chironomid larva, 3, 4
midges, 345
Chironomidae, 4
Chirothripini, 123
Chorizagrotis, 110
auxiliaris, 95, 98, 104, 107, 110
thanatologia, 95, 110
Choy, C. T. H., (see Friend, W. G.) 7, 52
Christophers, Sir S. R., 5, 11, 50
Chromatomyia, 69
Chrysanthemum leucanthemum, 392
Chrysops, 11, 17, 54
dimidiata, 10, 54
silacea, 10, 28, 50, 52, 54, 59
Cibdelis blaschkei, 359
Cicindela, 348
duodecimguttata, 346
maritima, 346
oregona, 346
Cicindelidae, 345
Cicindelinae, 347
Cimex, 33
hemipterus, 8, 14, 59
lectularius, 6, 8, 14, 17, 23, 32, 35, 36, 44, 49, 54, 57, 58
rotundatus, 14
Cirphis, 91
Cistelidae, 362
Cistelides, 362
cladistic classifications, 306
Clausen, C. P., 93, 94, 117
Clements, A. N., 5, 50
Cleptoria, 302, 309, 342, 346
abbotti, 309
bipraesidens, 309
divergens, 309
macra, 309
rileyi, 309
Clivina, 347, 348
amphibia, 236
frontalis, 236
lineolata, 246
sulcata, 179
Clivinina, 347
Cnephia dacotensis, 36, 61, 62
ornithophilia, 27
cockroach, 125, 353
american, 55
Coelini, 357, 360, 361, 362, 363, 364, 367, 370
classification of, 370-374
Coelometopini, 360, 361
Coelomorpha, 369, 371, 373
maritima, 363, 369, 372, 373
Coelosattus, 370, 371, 373
fortineri, 363, 368, 369, 372, 373
Coelotaxis, 370, 373
punctulata, 363, 369, 372, 373
Coelus, 363, 369, 371, 373, 374
ciliaris, 369
ciliatus, 363, 373
globosus, 363, 372
remotus, 363
Coleoptera, 93, 118, 131-344, 345, 346, 347, 348, 357, 367, 369, 374, 375, 376
Collembola, 121
Combre, A., 41, 50
Compositae, 377, 390
Coniontellus, 370, 373
inflatus, 363
obesa, 369

Coniontides, 370, 373
latus, 362, 369, 372
Coniontinae, 362, 375
Coniontini, 376
generic classification of, 357-374
Coniontis, 363, 370, 371, 373, 374
hoppingi, 372
lata, 373
obesa, 373
viatica, 362, 369, 373
Conipinus, 373
Conisattus, 370, 373
rectus, 373
Conistra devia, 91
Cook, W. C., 107, 110, 117
Copablepharon viridisparsa, 90
Copidodoma bakeri, 82, 107-112, 113, 114, 115, 116
Copidosoma gelechiae, 118
Corbet, P. S., 4
Cornet, M., (see Mattern, P.) 30, 56
Cornwall, J. W., 13, 14, 15, 16, 17, 39, 50
Corynothrix borealis, 121
Cossyphini, 359, 361
Cragg, F. W., 27, 28, 50
Craig, D. A., 61-62
Craighead, F. C., (see Böving, A. G.) 361, 374
Cratichneumon, 118
crenulatus group, 131, 132, 148, 149-153, 165, 312, 317, 322, 323, 327, 337
lineage, 312, 323
-quinquesulcatus-tenuis lineage, 314
Crewe, W., 28, 50, (see Gordon, R. M.) 10, 52, (see Kershaw, W. E.) 54
Crosskey, R. W., 10, 50, (see Lewis, D. J.) 50
Crovello, T. J., (see Sokal, R. R.) 302, 306, 348
Crowson, R. A., 302, 303, 346, 357, 361, 375
Cruciferae, 121
Crymodes devastator, 110
Cryptoglossini, 360, 364
Csiki, E., 141, 265, 346
Ctenichneumon, 118
Ctenophthalmus, 28
Culex, 45
fatigans, 18, 52, 54, 56
pipiens, 7, 11, 13, 15, 17, 21, 23, 26, 31, 33, 39, 43, 45, 49, 54
pipiens fatigans, 57, 124
pipiens molestus, 30
pipiens pallens, 7, 12
pipiens quinquefasciatus, 6, 7, 9, 15, 18, 20, 21, 29, 30, 31, 33, 34, 35, 36, 37, 39, 40, 46, 48
restuans, 16
salinarius, 9, 16
tarsalis, 21, 30, 50, 124
Culicidae, 49, 51, 52, 54, 58
Culicoides impunctatus, 21, 58
nubeculosus, 11, 18, 26, 31, 56
obsoletus, 21, 26, 54, 58
Culiseta annulata, 9, 13, 16, 17, 20, 39, 58
inornata, 9, 56, 124
Cushman, R. A., 101, 117
Cutworm, 82, 83, 84, 87, 89, 91, 97, 98, 100, 103, 104, 107, 117, 118, 119
army, 119
black army, 91
climbing, 114, 120
ground, 81, 114
larvae, 95, 97, 106
pale western, 119
prairie, 106, 119
red-backed, 81, 82-83, 112, 114, 118
western, 117
Cychrini, 345
Cyclorrhapha, 57, 76
Dacoderidae, 359, 376
Dacoderus, 358
Darkling beetle, 375
Darling, S. T., 20, 45, 50
Darlington, P. J., Jr., 133, 264, 302, 303, 304, 326, 346
darlingtoni group, 171, 196, 197, 302, 311, 322, 327
Dasgupta, B., 24, 50
Dasybasis froggatti, 29
Davies, D. M., 36, 39, 41, 43, 50, (see Yang, Y. J.) 11, 17, 35, 36, 38, 39, 40, 41, 43, 60
Davies, J. B., (see Lewis, D. J.) 4
Davis, G. E., 23, 29, 51
Davis, W. A., 23, 33, 51
Day, M. F., 5, 11, 12, 43, 51, (see

Day, M. F. (continued)
Waterhouse, D. F.) 5, 59
Deegan, T., (see Kershaw, W. E.) 6, 10, 54
DeFoliart, G. R., (see Anderson, J. R.) 10, 49
Dendrothripini, 123
Denisova, Z. M., 12, 51
depressus group, 135, 169, 171, 263-301, 302, 311, 317, 318, 320, 321, 327, 338, 339, 340, 344
subgroup, 321, 340
Detinova, T. S., 5, 18, 19, 20, 23, 41, 51
Deutzia, 67
Devine, T. L., 13, 51
dialatus subgroup, 320
Diamanus montanus, 22
Diamond-back moth, 100
Diaperini, 361
Diphyus, 95, 97, 98, 99, 113, 114, 115, 116
Diplopods, 353
Diprionidae, 118
Diptera, 3, 4, 6, 46, 49, 50, 51, 52, 54, 55, 56, 57, 58, 59, 60, 61, 67, 69, 76, 83, 93, 117, 118, 119, 120, 377, 394, 395, 396
cyclorrhaphous, 68
Dirofilaria immitus, 45, 46, 54, 60
Discodemus, 373
Dominick, R. B., 63
Doronicum clusii, 362
Doutt, R. L., 81, 117
Downe, A. E. R., 30, 31, 32, 51
Doyen, J. T. 357-374, 375
Drosophila, 125, 126
cell culture, 125
Duncan, J. T., 44, 51
Dutky, S. R., (see Schechter, M. S.) 351, 353
Ectopimorpha, 118
Edman, J. D., 31, 51
Edrotes, 367, 375
Edwards, C. R., 63
Ehrlich, P. R., 302, 306, 346
Eisner, T., 358, 359, 375
Elaphria nucicolora, 91
Eleodes, 359
longicollis, 375
Eleodes (continued)
obsoleta, 374
Eleodini, 359, 360, 371
Eligh, G. S., (see West, A. S.) 5, 29, 59
Ellipsoptera, 348
elongatus-carinatus lineage, 314
elongatus group, 170, 186-189, 317, 323
lineage, 314, 323
Emden, F. I. van, 360, 375
Encyrtidae, 107-112, 113
Enright, J. T., 353
Entomobrya comparata, 121
Entomobryidae, 121
Entomochilus, 367, 370
varius laevis, 363
entomophagous groups, 81
species, 81
Epiphysa, 367, 370
Epitragini, 359, 360
Eppley, R. K., (see Bohart, G. E.) 93, 117
Erigorgus, 101, 102
Erodiini, 360
Erotidothripinae, 123
Erwin, T. L., 140, 307, 326, 328, 329, 330, 331, 334, 335, 346, (see Ball, G. E.) 311, 345
Eschscholtz, J. F., 373, 375
Eucirrhoidea pampina, 104
Eupalamus, 118
Eupsophulus, 361
Eurychorini, 376
Euryderus, 345
Eusatti, 370
Eusattodes, 373
Eusattus, 363, 369, 370, 371, 373, 374, 376
ciliatus, 370
difficilis, 373
dubius, 363, 366, 369, 370, 373
erosus, 363, 369, 373
laevis, 373
muricatus, 363, 365, 369, 370, 371, 372, 373
puberulus, 370
reticulatus, 362, 363, 366, 369, 372
robustus, 363, 369, 373
Eutanyacra, 118
suturalis, 95, 97, 98, 99, 113, 115, 116
Eutriatoma, 33
maculatus, 53

Euxoa, 94, 110, 118
auxiliaris, 91, 119
campestris, 112
(chorizagrotis) auxiliaris, 119
dargo, 112
detersa, 110
divergens, 112
excellans, 98
flavicollis, 94, 95, 97, 98, 110
intrita, 110
messoria, 90, 98, 107, 110
ochrogaster, 118
the parasitoid complex of, 81-117
scandens, 95, 98, 110
tesselata, 94, 95, 112
tristicula, 90, 107, 110
verticalis, 112
Evans, W. A. L., 36, 51
Evans, W. G., 351-355
Evarthrus, 131, 132, 302, 305, 307, 308, 309, 328, 329, 330, 334, 346
gravesi, 308
hypherpiformis, 308
Exephanes, 118
Exopterygotes, 6
eye gnats, 11, 54
Fall, H. C., 133, 209, 254, 268, 346
Fallis, A. M., 5, 27, 51
Fattig, P. W., 141, 239, 346
Feltia ducens, 94, 95, 98, 104, 107, 110, 112
subgothica, 107, 110
Feng, L-C., 26, 51
Ferguson, M. J., (see Micks, D. M.) 21, 46, 56
Ferguson, R. B., 63
Ferreira Neto, J. A., (see Rachou, R. G.) 9, 57
ferrugineus group, 131, 132, 167, 179-184, 312, 317, 322, 323, 327, 337, 340
lineage, 312, 314, 315, 323, 341
filariasis, 59, 60
Finlayson, T., 83, 95, 97, 99, 118
Fisk, F. W., 12, 26, 29, 33, 35, 36, 37, 40, 41, 42, 51, (see Patterson, R. A.) 35, 57, (see Champlain, R. A.) 11, 17, 42, 50
fleas, 7, 22, 28, 33, 44, 53, 57
Fletcher, J., 107, 118
Flies, 7, 11, 38, 42, 378
blood meal size, 10
mining, 395
muscoid, 118
tachinid, 119
Florence, L., 22, 51
Forbes, 63
Foulk, J. D., 10, 52
Fraenkel, G., (see Galun, R.) 43, 52, (see Lipke, H.) 5, 55
Franclemont, J. G., 63
Franco, L. B., (see Micks, D. W.) 33, 56
Frank, J. H., 83, 114, 118
Franklinothripini, 123
Freitag, R., 137, 308, 328, 329, 330, 331, 335, 346, (see Lindroth, C. H.) 246, 347
Freitas, J. R., 6, 7, 9, 34, 52
Frey, R., 383, 394
Freyvogel, T. A., 17, 23, 24, 25, 43, 52, (see Stäubli, W.) 23, 24, 58
Frick, K. E., 389, 394
Friend, W. G., 7, 8, 52
Fuscigonia, 87
(fuscicollis), 84
Galum, R., 43, 52
Gamal-Eddin, F. M., (see Rostom, Z. M. F.) 17, 57
Gander, E., 23, 25, 52
Garnham, P. C. C., 9, 52
Gasterophilus intestinalis, 16, 17, 34, 40, 58
Gastrophilus equi, 57
Gebien, H., 358, 361, 362, 373, 375
Gemminger, M., 141, 265, 346
Genioschizus, 131, 132, 144, 148, 165, 312, 314, 316, 323, 337
Gentianaceae, 69
Gibson, A., 98, 107, 110, 118
Gillett, J. D., 124
Gilmour, D., 5, 52
Girault, A. A., 110, 118
Glossina, 11, 17, 18, 53, 60
austeni, 6, 10, 17, 39, 42, 48, 53, 55
brevipalpis, 10, 56
morsitans, 7, 10, 11, 13, 16, 28, 31, 34, 38, 39, 42, 50, 54, 55
morsitans submorsitans, 17
pallidipes, 59
palpalis, 6, 10, 28, 47, 56

Glossina (continued)
submorsitans, 28, 34, 50
swynnertoni, 22, 31, 59
tachinoides, 6, 10, 11, 13, 16, 17, 18, 28, 38, 50, 60
Glugea disstriae, 126
Gnathocephalon, 119
Goatly, K. D., (see Jordan, P.) 9, 54
Gonia, 84-85, 94, 111, 112, 116, 117, 119
aldrichi, 85-86, 87, 88, 113, 114, 115, 116
capitata, 84, 87, 112, 113
(capitata, sequax), 84
fuscicollis, 87, 112, 113, 116
sequax, 87, 88, 112, 113
Goniderini, 360
Goodchild, A. J. P., 8, 52
Gooding, R. H., 5-48, 52
Gordon, R. M., 10, 14, 52
Goring, N. L., (see Downe, A. E. R.) 30, 51
Gosbee, J., 17, 52
Graham, A. R., 82, 100, 106, 118
Grapholitha, 91
grasshopper, egg pods, 117
grassworm, 117
Gravenhorstia, 102
propingua, 101-102, 105, 111, 113, 116
Greene, C. T., 83, 87, 90, 118
Griffiths, G. C. D., 67-75, 76, 377-394, 395
Griswold, C. L., (see Schaffner, J. V.) 104, 119
Grobbelaar, J. H., 351, 352, 353
Groschke, F., 384, 386, 394
ground beetles, 346, 347
Grusz, F., 14, 39, 52
Guardia, V. M., (see Zeledón, R.) 6, 8, 60
Guedes, A. da Silverra, (see Freitas, J. R.) 6, 7, 9, 52
Guelmino, D. J., 20, 53
guinea pig, 23, 50, 54, 55
Guppy, J. C., 91, 104, 118
Gupta, V. K., (see Townes, H., 101, 102, 119
Guptavanij, P., 11, 53
Gwadz, R. W., 7, 9, 53
Gymnopais, 61, 62
Gyriosomus, 364, 367, 370
modestus, 363
Haematophagous insects
changes in gut contents, 18-22
digestive enzymes and their properties, 35-40
digestive processes, 5-48
distribution of meals within the alimentary canal, 7-12
enzyme content of the gut, 40-43
histological changes in the gut and blood meal, 22-29
relationship of digestive processes to vectoring ability, 43-47
salivary glands and their secretions, 12-18
serological and chemical analysis of gut contents during digestion of the blood meal, 29-34
size of blood meal, 6-7
Haematopinus suis, 22
Haldeman, S. S., 133, 236, 346
Halffter, G., 327, 335, 346
Hall, J. C., (see Painter, R. H.) 93, 94, 95, 119
Halocoryza, 133, 140, 143, 144, 196, 303, 326, 335, 348
acapulcana, 145, 146
arenaria, 144, 146, 348
Hansens, E. J., (see Davis, W. A.) 23, 33, 51
Hardwick, D. F., 82, 118
Hardy, J., 69, 76
Harold, E. von, (see Gemminger, M.) 141, 265, 346
Harpalini, 345
Hatch, M. H., 268, 269, 287, 294, 346
Hawking, F., (see Yorke, W.) 28, 60
Hawkins, R. I., 17, 39, 53, (see Hellmann, K.) 13, 14, 38, 39, 53
Hayashi, N., 360, 375
Hays, K. L., 8, 53
Heinrich, G. H., 98, 118
Heleidae, 56
Helerothripidae, 123
Heliophila commoides, 91
Heliothripinae, 123
Hellmann, K., 13, 14, 38, 39, 53, (see Hawkins, R. I.) 39, 53
hemimetabolous insects, blood meal size, 8

Heming, B. S., 123, 127
Hemipenthes, 93, 94
Hemiptera, 6, 49, 52, 53, 57, 59
Hendel, F., 72, 73, 76, 380, 381, 382, 383, 386, 391, 392, 395
Hennig, W., 140, 141, 302, 303, 304, 305, 306, 346
Heptagyinae, 345
Hering, E. M., 72, 73, 76, 387, 395, (see Groschke, F.) 384, 386, 390, 394
Hering, M., 73, 76, 382, 383, 388, 395
Herndon, B. L., 31, 53
Hershkovitz, P., 326, 327, 346
Heterobionta, 360
Heteromera, 376
Heteroptera, 49
Heterostylum robustum, 117
Heterotarsini, 360
Heterothripini, 123
Hewitt, C. G., 22, 53
Hippelates pallipes, 11, 44, 54
Hippobosca, 16
Hippoboscidae, 29
Hirudo medicinalis, 53
Hoare, C. A., 28, 47, 53
Hocking, B., 2, 65-66
Hocking, K. S., 18, 19, 53
Hodges, R. W., 63
Hoffman, R. L., 309, 342, 346
Holdenried, R., 22, 53
Holoubek, K., (see Schildknecht, H.) 359, 376
Holstein, M., 32, 53
Homoptera, cell culture, 125
Homotherus, 118
Honeybee, 49
Hopkins, D. M., 335, 347
Horn, G. H., 358, 361, 371, 373, 375, (see LeConte, J. L.) 358, 361, 362, 371, 376
horse bot-fly, 58
horse flies, 12, 16, 51, 58
Hosoi, T., 7, 12, 53
house fly, 36, 55
House, H. L., 5, 53
Howard, L. M., 9, 12, 18, 23, 24, 53
Hoyer's medium, 135
Huang, C. T., 35, 36, 37, 38, 53
Hubbs, C., (see Hubbs, C. L.) 136, 347
Hubbs, C. L., 136, 347
Hudson, A., 18, 41, 54, (see Orr, C. W. M.) 17, 56
Hudson, J. E., 124
Huff, C. G., 26, 45, 54
Hull, D. L., 302, 304, 305, 306, 347
Hultén, E., 67, 75, 76, 378, 395
Hunter, T. A., (see Freyvogel, T. A.) 17, 43, 52
Hybomitra affinis, 10
frontalis, 10
Hydrangea, 67
Hydrangeaceae, 67
Hydrocanthari, 348
Hymenoptera, 93, 117, 118, 119, 120, 394
Hynes, H. B. N., 93, 118
Hyperalonia oenomaus, 117
Hyponomer, 396
Ichneumonid parasitoids, 94
Ichneumonidae, 95-102, 113, 117, 118, 119
Ichneumonines, 116
Ichneumonini, 95, 118
Insect Societies, 129
Intertidal beetles, 351
Isoparce, 63
Isopods, 353
Italodytes stammeri, 196
jacarensis group, 170, 171-173, 312, 317, 323
lineage, 323
-optimus lineage, 312, 314, 315
Jackson, C. H. N., 18, 54
Jacobson, L. A., 82, 118
Jacot-Guillarmod, C. F., 123
Jamnback, H., 26, 54
Jaquet, C., (see Freyvogel, T. A.) 25, 52
Jeffery, G. M., 9, 54
Johnson, C. G., 6, 8, 54
Jones, R. M., 8, 54
Jordan, P., 9, 54
Kalra, N. L., (see Wattal, B. L.) 8, 59
Kaltenbach, J. H., 386, 395
Kamal, A. S., (see Rockstein, M.) 17, 57
Kartman, L., 44, 45, 54
Keleynokova, S. I., 360, 375
Kelley, M. H., (see Schubert, J. H.) 29, 57
Kendall, D. A., 358, 375
Kershaw, W. E., 6, 10, 54
Kevan, D. K. McE., (see Kevan, P. G.) 121
Kevan, P. G., 121

King, K. M., 82, 83, 84, 85, 87, 90, 91, 94, 95, 98, 101, 102, 106, 107, 110, 114, 118
King, W. V., (see Bull, C. G.) 29, 50
Kirsch, T., 133, 198, 347
Koch, C., 358, 361, 362, 364, 375
Korschevsky, R., 360, 376
Kramer, H., (see Schildknecht, H.) 359, 376
Kryński, S., 6, 8, 23, 54
Kuchta, A., (see Kryński, S.) 6, 8, 23, 54
Kult, K., 133, 142, 155, 165, 185, 188, 197, 201, 202, 231, 232, 254, 270, 347
Kumm, H. W., 11, 44, 54
Kurten, B., 335, 347
Kutuza, S. B., (see Moloo, S. K.) 10, 56
Lacinopolia renigera, 110, 112
Lacordaire, J. T., 358, 362, 371, 376
Lagriidae, 358, 359, 360, 361, 362, 375
Lagriides, 362
Lagriinae, 362
Landry, S., 130
Langley, P. A., 6, 10, 34, 42, 54, 55
Laphygma frugiperda, 117
Larvaevoridae, 120
Lascoria ambigualis, 91
Laurel, A. G., 9, 55
Lavoipierre, M. M. J., 44, 55
Lawrence, J. F., 358, 376
Lea, A. O., 7, 9, 41, 55
leafhoppers, 126
LeConte, J. L., 133, 142, 150, 221, 229, 236, 238, 246, 287, 347, 358, 361, 362, 371, 373, 376
Lee, C. U. (see MacGregor, M. E.) 11, 55
Leiby, R. W., 109, 118
Leiochrini, 361, 362
Leiochrodes, 361
Leishmania donovani, 27, 44, 56
tropica, 44, 56
Leng, C. W., 141, 265, 347
Leonard, M. D., 141, 347
Lepidichora discoidalis, 376
Lepidochorini, 360
Lepidoptera, 59, 81-117, 118, 119
cell culture, 125
larvae, 120
Leptoconops, 18
Leptoconops (continued)
(Holoconops) becquaerti, 21, 55
kerteszi, 10, 52
Lesquerella arctica, 121
Lester, H. M. O., 10, 11, 13, 16, 18, 38, 55
Leucocytozoon simondi, 49
Leucophaea maderae, 125
Lewis, D. J., 4, 11, 27, 47, (see Buxton, P. A.) 6, 10, 55
Libellulid larva, 3, 4
lice, 7, 14
human, 51
Lima, m. m., (see Rachou, R. G.) 9, 57
Limerodops, 118
Lin, S., 36, 55
Lindroth, C. H., 133, 140, 142, 150, 191, 209, 221, 229, 236, 238, 246, 254, 265, 266, 267, 268, 269, 277, 287, 294, 347
lindrothi group, 131, 132, 167, 171, 198, 199-202, 302, 311, 322, 327, 337, 338
Lindsay, D. W., 310, 347
lineolatus group, 169, 246-251, 302, 311, 317, 318, 321, 341
Linley, J. R., 18, 21, 55
Linnaemyia comta, 117
Linnaniemi, W. M., 72, 76, 383, 395
Linsley, E. G., (see Mayr, E.) 348
Lipke, H., 5, 55
Liriomyza, 378
Lithophane innominata, 91
Lloyd, L., 16, 17, 39, 55, (see Lester, H. M. O.) 10, 11, 13, 16, 18, 38, 55
Lloyd, R. B., 32, 55
Loa loa, 50, 52, 54
Locust, desert, 118
Lofy, M. G., (see Templis, C. F.) 30, 58
longipennis group, 168, 252-263, 265, 302, 311, 317, 318, 320, 321, 327, 338, 340, 344
Loricerini, 345
Lotmar, R., 28, 55
louse, 23, 50
clothes, 54
hog, 22, 50
Loxostege sticticalis, 104
Lumsden, W. H. R., (see Gordon, R. M.) 14, 52
Lyneborg, L., (see Rydén, N.) 392, 395
Macfie, J. W. S., (see Yorke, W.) 13, 14, 15, 16, 17, 60

MacGregor, M. E., 11, 12, 21, 34, 55
MacInnes, D. G., (see Hocking, K. S.) 18, 19, 53
MacKerras, M. J., 19, 55
Macroevolutionary models, 345
Macrolepidoptera, 119
Maddrell, S. H. P., 7, 55
Malacosoma americanum, 126
  disstria, 126
malaria, 50, 56
  parasite, 56, 57
Maldonado-Koerdell, M., 326, 328, 334, 347
Mansonia perturbans, 9, 30
  richiardii, 6, 9, 16, 20
Marcuzzi, G., 360, 376
Mariani, M., 46, 56
Martin, J. L., 102, 118
Martin, P. S., 293, 347
Masseyeff, R., (see Mattern, P.) 30, 56
Mattern, P., 30, 56
Matthews, J. V., (see Hopkins, D. M.) 335, 347
Maxwell, C. W., (see Wood, G. W.) 102, 120
Mayr, E., 136, 137, 138, 139, 140, 141, 302, 305, 306, 336, 347, 348
McConnachie, E. W., (see Bishop, A.) 33, 45, 49
McHenry, F., (see Eisner, T.) 358, 375
McKiel, J. A., (see Wood, G. W.) 102, 120
McKinley, E. B., 14, 17, 56
McMillan, E., 82, 107, 109, 110, 114, 115, 118
Megahed, M. M., 7, 11, 12, 18, 26, 56
Megasattus, 373
Mehringer, P. J., (see Martin, P. S.) 293, 347
Meijere, J. C. H. de, 72, 73, 76, 378, 387, 388, 391, 392, 395
Meinwald, J., (see Eisner, T.) 359, 375
Melanagromyza, 378
Melanesian ant fauna, 348
Melanthripinae, 123
Meliana albilinea, 104, 120
Mellanby, K., 6, 7, 10, 56
Melophagus ovinus, 29
Memoria, J. M. P. (see Rachou, R. G.) 9, 57
Menees, J. H., 83, 119
Merothripidae, 123
Merothripinae, 123
Merothripoidea, 123
Mesothripidae, 123
Metachaeta, 90
  helymus, 90
Metcalf, R. L., 13, 14, 15, 16, 17, 56
Meteorus, 106
  dimidiatus, 106, 107, 112, 113
  vulgaris, 103, 106-107, 108, 113, 114, 115, 116
Micks, D. M., 21, 46, 56
Micks, D. W., 33, 56
Microfilaria bancrafti, 56
Microfilariae, 52, 54
Microgastrinae, 102
Microplitus, 102
  kewleyi, 102, 104-106, 107, 113, 116
milii group, 69
Miller, L. A., 10, 56
Mimulus, 310
  guttatus, 347
Minchin, E. A., 28, 56
Miners, 69
  leaf, 67-75, 377-394
  on Saxifragaceae, 67-75
  Phytomyza, 377-394, 395
  primrose-leaf, 76
Mirov, N. T., 201, 338, 348
Mitella, 67, 70
  nuda, 75, 80
Mites, 82, 353
Mitzmain, N. B., 18, 56
Moloo, S. K., 10, 56
Molurini, 376
Monommidae, 358, 359, 361, 362
Monophyletic group, 303
Moore, P. J., (see Kershaw, W. E.) 6, 10, 54
Moran, V. C., (see Grobbelaar, J. H.) 351, 352, 353
Morris, G. J., (see Grobbelaar, J. H.) 351, 352, 353
Morrison, F. O., 84, 119
Mosher, 63
mosquitos, 5, 7, 14, 15, 16, 18, 24, 29, 48, 49, 50, 52, 55, 56, 57, 58, 59, 60, 124
  blood meal size, 9

mosquitos (continued)
British, 58
mouthparts of, 52
West African, 51
yellow fever, 50
Most, H., (see Yoeli, M.) 46, 60
Mouchet, J., (see Combre, A.) 41, 50
Muir, F., (see Sharp, D.) 359, 376
Muirhead-Thomson, R. C., 18, 56
Munroe, E. G., 63
Murgatroyd, F., (see Yorke, W.) 28, 60
Musca convexifrons, 16
crassirostris, 16, 17, 39
domestica, 44, 52
nebulo, 16
pattoni, 16
vitripennis, 17
Muscidae, 10
Muscoid, 6, 16
Mutchler, A. J., (see Leng, C. W.) 141, 347
Mymarothripinae, 123
Myser, W. C., (see Devine, T. L.) 13, 51
Napier, L. E., (see Lloyd, R. B.) 32, 55
Neamblymorpha, 118
Nearctic, 133
Nematocera, 6
Nematoda Merinthidae, 113
Nematodes, 44, 55
Neobrachinus, 308
Neodiprion sertifer, 118
Neotropical, 133
Nesostes, 373
Netelia, 101, 105, 113, 116
Nielson, B. O., (see Rydén, N.) 392, 395
Nielson, W. T. A., (see Wood, G. W.) 102, 104, 107, 110, 120
Nilio, 361
Nilionidae, 358, 359, 360, 361, 362
Nilionides, 362
Nilioninae, 362
Nocardia rhodnii, 39
Noctuid, 93
hosts, 94, 95, 100
larvae, 114
Noctuidae, 81-117, 118, 120
Nord, F. F., (see Buck, F. F.) 36, 50
Nosopsyllus fasciatus, 28, 33
Nowakowski, J. T., 68, 76, 380, 386, 387, 395
Nowakowski, J. T. (continued)
Nunberg, M., 387, 395
Nuttall, G. H. F., 14, 15, 17, 18, 22, 23, 43, 56
Nyctelia, 362, 363, 364, 367, 370
varipes, 363
Nycteliinae, 362
Nycteliini, 357, 363, 364, 367, 371
Nycterebosca falcozi, 29
Nycteribiidae, 29
Nyctoporini, 360, 361
obscurella group, 380
ocellatus group, 171, 194-197, 302, 311, 322
ochrogaster group, 118
O'Connor, F. W., 6, 9, 56
Odonata, 3, 4,
larvae, 4
O'Gower, A. K., 5, 18, 20, 30, 33, 56
Omophlinae, 358
Onymacris, 376
rugatipennis, 376
Opadothripini, 123
Opatrini, 360
Ophiomyia, 378
optimus group, 131, 132, 167, 170, 173-179, 189, 312, 315, 317, 322, 323, 327, 338
lineage, 314, 323
Orgichneumon, 118
Ornithodorus, 56
moubata, 23
Ornithomyia, 29
Orothripini, 123
Orr, C. W. M., 17, 56, (see Hudson, A.) 18, 54, 56
Ortholfersia macleayi, 29
O'Sullivan, P. J., (see Roberts, F. H. S.) 20, 57
Owen, W. B., 9, 56
Oxinthas, 364, 369, 373, 374
praocioides, 363, 369, 372, 373
Packchanian, A. A., 44, 56
Painter, R. H., 93, 94, 95, 119
Palaeoclimatology, 347
Palaeoecology, 347
Palaeogeography, 347
Palaeothripidae, 123
Panchaetothripinae, 123
Paniscus, 101, 119
Panstrongylus megistus, 6, 7, 23, 34

Paradis, R. O., 102, 119
Paraphytomyza, 394
Parasitism, 53, 130
Parasitoid, 81-117
Paratanytarsus, 3, 4
Parker, D. D., 22, 57
Parr, H. C. M., 10, 57
Pascual, R., (see Patterson, B.) 326, 348
Pasteurella tularensis, 22, 57
Pasturella pestis, 44
pathogenic organisms, 5
patristic classifications, 306
Patterson, B., 326, 348
Patterson, R. A., 35, 36, 57
Patton, W. S., (see Cornwall, J. W.) 13, 14, 15, 16, 17, 39, 50
Pawan, J. L., 11, 57
Peat, A. A., (see Kumm, H. W.) 44, 54
Peck, O., 107, 110, 112, 119
Pediculus, 33
humanus, 6, 8, 14, 18, 22, 23, 32, 33, 35, 36, 37, 48, 52, 56
humanus corporus, 22, 50
humanus humanus, 22, 32
Pedinini, 360
Pedobionta, 360
Pelecyphorus, 375
Peridroma margaritosa, 95, 104, 107
saucia, 91, 107
Perimylopidae, 376
Perimylops, 358
Periplaneta americana, 37, 38
Periscepsia, 90
carbonaria, 90
helyma, 90
helymus, 90-91, 92, 113, 116
laevigata, 90, 91, 92, 112, 113, 116
sequax, 90
Perlidae, 4
Permothripidae, 123
Petasites, 377, 378, 379, 380, 381, 383, 385, 386, 388, 389, 390, 391, 393
albus, 381, 383, 390, 392
frigidus, 383, 384, 386, 389, 392, 393
hybridus, 382, 383
hyperboreus, 393, 403
japonicus, 388, 389
palmatus, 383, 384, 388
(? palmatus x frigidus), 383
Petasites (continued)
paradoxus, 383, 392
sagittatus, 384, 385
vitifolius, 384
Petria, 358, 376
Phalaenidae, 117, 118, 120
Philadelphus, 67
Philip, C. B., (see Davis, G. E.) 23, 29, 51
Philoematomyia insignis, 16, 17
Philolithus, 375
Phlebotomus argentipes, 32
chinensis, 26, 27
mongolensis, 26
papatasi, 11, 14, 17, 27, 48
squamirostris, 26
Phorichaeta, 90
sequax, 90
Phthirus pubis, 52
Physogasterini, 357, 361, 363, 364, 367
Phytagromyza, 394
Phytomyza, 67, 69, 70, 71, 72, 75, 378, 390, 394, 395
agromyzina, 70
aizoon, 67, 71, 73-74, 77, 78, 79
albiceps, 381
albiceps group, 377, 378, 379, 380-388
alpina, 377, 379, 380, 384-386, 387, 397, 401, 404, 405
aronici, 386
atricornis, 76, 378, 388, 389, 395
buhriella, 380, 390-391, 399
burchardi, 378, 379
ciliata, 392
deirdreae, 67, 70-72, 73, 77, 78, 79, 80
farfarae, 380, 388, 389, 391-392, 393, 400, 402
fuscula, 392
horticola, 379, 380, 388, 389
hyperborea, 377, 378, 379, 380, 392-393, 401
hypophylla, 377, 379, 380, 393, 400, 401, 403
ilicis, 70
involucratae, 70
jacobaeae, 378
lactuca, 379
lappae, 387, 388
lugentis, 377, 379, 393-394, 399
milii, 70, 378

Phytomyza (continued)
mitellae, 67, 70, 75, 77, 78, 80
nigra, 69
notabilis, 390, 391
notopleuralis, 70
petasiti, 377
ravasternopleuralis, 379, 380, 388, 398
robustella group, 377, 378, 388, 389, 390-394
rydeniana, 381
saxifragae, 67, 70, 71, 72-73, 74, 76, 77, 78, 79, 80
senecionella, 379, 380, 388, 389, 399
senecionis, 379, 386-388, 398, 404
senecionis ravasternopleuralis, 388
seneciovora, 378, 379
syngenesiae, 76, 379, 388, 389, 390
syngenesiae group, 377, 378, 379, 380, 388-389, 394
tiarellae, 67, 70, 74-75, 77, 78, 80
tussilaginis, 377, 380, 381-382, 385, 386, 387, 388, 398, 401, 402, 405
tussilaginis kevani, 377, 380, 384, 405
tussilaginis petasiti, 380, 381, 382, 383-384, 405
tussilaginis tussilaginis, 380, 382-383, 405
Phytomyzinae, 395
Pick, F., 23, 57
Pimeliini, 359, 361, 362, 376
Pinus, 348
strobus, 112
Pippin, W. F., 8, 57
Pissodes strobi, 110, 112, 119
planthoppers, 126
planulatus group, 246
subgroup, 320, 340
Plasmodium, 19, 43, 44
cathamerium, 21, 45, 54
gallinaceum, 18, 37, 41, 45, 46, 49, 53, 58
relictum, 21, 45, 46, 54, 56
Platyscelini, 360
Plecoptera, 4
pluripunctatus group, 136, 138, 167, 206, 208-225, 302, 311, 317, 318, 320, 321, 327, 338, 339, 341, 344
Plutella maculipennis, 100
Pluto, 63
Podonominae, 345
Poecilanthrax, 93, 94, 119
alcyon, 82, 94-95, 96, 111, 113, 116
halcyon, 94
lucifer, 93
willistonii, 95, 113, 116
Polia acutermina, 90
adjuncta, 91
purpurissata, 102, 120
Polydesmida, 346
Polygenis gwyni, 22
Porosagrotis orthogonia, 117
Praocini, 357, 361, 362, 363, 364, 367, 371
Praocis, 362, 367, 370, 371
chiliensis, 363
penai, 363, 365, 366, 368
pilula, 363, 371
Prosimulium decemarticulatum, 10, 27, 36, 41
fuscum, 17, 36, 39
hirtipes, 27, 31
Protocalliphora avium, 17
Pseudaletia unipuncta, 91, 95, 98, 104, 118
Pseudamblyteles, 98, 118
subfuscus, 97, 98, 112, 113, 116
Pseudoamblyteles, 118
Pseudoscorpions, 353
Psorophora confinnis, 9
cyanescens, 9
discolor, 16
ferox, 9
Pthirus pubis, 14, 29
Pulex irritans, 22
Puri, I. M., 14, 57
Putzeys, J. A. A. H., 133, 140, 142, 150, 153, 161, 165, 175, 176, 179, 184, 191, 192, 197, 198, 202, 204, 206, 221, 229, 231, 232, 236, 238, 246, 254, 256, 263, 265, 287, 348
Pycnocerimorpha, 360
Pycnocerini, 360
quadripunctatus group, 170, 202-204, 302, 311, 322
quinquesulcatus group, 148, 149, 153-156, 312, 317, 322, 323, 327
lineage, 323
-tenuis lineage, 314
Rachou, R. G., 9, 57
Rajagopal, P. K., 7, 57

Rampazzo, L., (see Marcuzzi, G.) 360, 376
rat-flea, 56
Raven, P. H., (see Ehrlich, P. R.) 302, 306, 346
Ray, H. N., (see Dasgupta, B.) 24, 50
Reaumuria (aldrichi), 84
Reduviid, 56
Reduviidae, 52
Reid, E. T., (see Lewis, D. J.) 4
Reinhard, H. J., 90, 91, 119
Reinholz, S., (see Owen, W. B.) 9, 56
Reitter, E., 358, 376
Reynolds, F. H. R., (see St. John, J. H.) 44, 57
Rhodnius, 32, 33
prolixus, 7, 8, 13, 14, 17, 23, 32, 35, 36, 38, 39, 44, 50, 52, 53, 55, 57, 59
Rhynchagrotis cupida, 91
Rhynchophora, 345
Richards, A. G., (see Lin, S.) 36, 55, (see Richards, P. A.) 28, 57
Richards, P. A., 28, 57
Rickettsiae, 126
Ringle, D. A., (see Herndon, B. L.) 31, 53
Roberts, F. H. S., 20, 57, (see MacKerras, M. J.) 19, 55
Rockstein, M., 17, 57
Rohdendorf-Holmanová, E. B., 383, 395
Rohlf, F. J., (see Sokal, R. R.) 136, 348
Rosenberg, D., 3-4
Ross, H. H., 328, 348
Rostom, Z. M. F., 17, 57
Roy, D. N., 9, 17, 34, 57
Rozeboom, L. E., 46, 57
Russell, P. F., 21, 57
Rydén, N., 388, 392, 395
Sabethes belisarioi, 124
Sabrosky, C. W., 84, 87, 90, 119
St. John, J. H., 44, 57
sallei group, 168, 225-231, 302, 311, 317, 318, 320, 341
Salmaciinae, 120
Salpeter, M., (see Eisner, T.) 358, 375
Salpingidae, 359, 376
sandflies, 14, 32, 51
Sanjean, J., 83, 84, 119
Sarcophaga, 119
Sarcophaga bullata, 52
Sasakawa, M., 70, 71, 72, 76, 388, 395, 396
Saxifraga, 67, 70, 71, 72
ferruginea, 71
fusca, 71
hieracifolia, 71
lyallii, 71
nivalis, 71, 72
paniculata, 73
punctata, 71, 80
rotundifolia, 72, 73, 80
sachalinensis, 71
Saxifragaceae, 67, 70, 76, 371
Say, T., 133, 246, 348, 362, 373, 376
Scaphinotus, 345
petersi, 345
Scaptia gattata, 29
jacksoniensis, 29
Scaritini, 131-344
Scaurini, 360, 361
Schaaf, A. C., 81-117
Schaefer, C. W., 42, 57
Schaffner, J. V., 104, 119
Schechter, M. S., 351, 353
Schildknecht, H., 359, 376
Schistocera gregaria, 118
Schizogenius, 347, 348
amphibius, 166, 168, 234, 236-238, 240, 243, 244, 245, 267, 320, 324, 332, 340, 344
angusticollis, 131, 132, 192, 193
apicalis, 263, 264, 265, 321, 322, 324, 328, 340, 344
arechavaletae, 131, 132, 171, 192-193, 195, 325
arenarius, 133
arimao, 169, 264, 265, 295, 297, 305, 321, 324, 332, 340, 344
auripennis, 131, 132, 167, 179, 182-184, 187, 214, 325, 332, 341
banningeri, 171, 201-202, 203, 322, 325
basalis, 170, 184, 185, 186, 187, 325
bicolor, 131, 132, 170, 177-179, 322, 325
brevisetosus, 131, 132, 168, 206-208, 226, 227, 324, 332, 341, 344
brittoni, 225
canaliculatus, 171
capitalis, 198, 325
carinatus, 170, 189-190, 191, 325

Schizogenius (continued)
cearaensis, 131, 132, 170, 184, 185, 186, 187, 322, 325
championi, 131, 132, 138, 270, 271, 277
chiapatecus, 332
chiricahuanus, 131, 132, 169, 252, 254, 257-258, 260, 261, 262, 321, 324, 332, 340, 344
classification of, 131-344
clivinoides, 170, 171, 176, 322, 325
costiceps, 170, 171, 188, 195, 325
costipennis, 131, 132, 170, 189, 190-191, 195, 325
crenulatus, 131, 132, 144-148, 150, 151, 152, 160, 328, 332, 337
crenulatus chiapatecus, 149, 150, 152-153, 163, 164, 325, 329
crenulatus crenulatus, 149, 150-152, 163, 164, 165, 325, 329
darlingtoni, 197, 322, 325
depressus, 169, 268, 270, 285, 286, 287-294, 295, 298, 301, 321, 324, 329, 332, 336, 338, 340, 344
dilatus, 131, 132, 168, 231, 232-234, 243, 244, 245, 320, 324, 329, 332, 339, 344
dyschirioides, 170, 175-176, 178, 322, 325
elongatus, 170, 188-189, 191, 195, 325
emdeni, 131, 132, 169, 263, 264, 265, 270, 295, 297, 321, 324, 332, 340, 344
exaratus, 154
falli, 131, 132, 169, 214, 270, 277, 279, 281-285, 286, 287, 294, 295, 298, 300, 301, 321, 324, 331, 332, 335, 336, 344
ferrugineus, 167, 179-181, 182, 183, 184, 187, 325, 332, 337, 338
frontalis, 236, 238
gracilis, 171
grossus, 170, 176-177, 179, 322, 325
impressicollis, 149, 161, 163, 164, 322, 325
impuncticollis, 131, 132, 149, 160, 161-162, 163, 164, 325
interstriatus, 171, 197, 322, 325

Schizogenius (continued)
jacarensis, 131, 132, 170, 172-173, 178, 191, 325
janae, 149, 155-156, 163, 164, 165, 322, 325
kulti, 131, 132, 168, 218, 219, 220, 221, 222, 223-225, 226, 227, 228, 320, 324, 328, 329, 331, 332, 336, 339, 344
leprieuri, 171
lindrothi, 131, 132, 167, 199-201, 203, 322, 325, 327, 331, 332, 337, 338
lineolatus, 141, 169, 238, 240, 246-251, 260, 261, 262, 266, 267, 324, 332, 341, 344
litigiosus, 169, 266, 268-269, 294, 295, 297, 321, 324, 332, 336, 340, 344
longipennis, 131, 132, 169, 232, 252, 253, 254-257, 258, 260, 261, 263, 320, 321, 324, 329, 332, 340, 344
maculatus, 148, 149, 156, 162, 165, 325
materials, 133-134
methods, 135-144
multipunctatus, 170, 184, 185, 187, 191, 216-221, 325
multisetosus, 138, 168, 216, 221, 226, 227, 228, 320, 324, 329, 331, 332, 339, 344
negrei, 131, 132, 170, 184, 185, 186, 187, 322, 325
neovalidus, 131, 132, 169, 252-254, 255, 257, 258, 260, 261, 320, 321, 324, 332, 340, 344
ocellatus, 131, 132, 166, 171, 196-197, 203, 325
ochthocephalus, 131, 132, 169, 264, 270, 281, 283, 284, 285-287, 294, 295, 298, 300, 301, 321, 324, 331, 332, 336, 340, 344
optimus, 145, 146, 147, 165, 167, 173-175, 176, 177, 178, 322, 325, 332
ozarkensis, 131, 132, 168, 240, 241, 242, 244, 245, 246, 305, 310, 320, 324, 329, 332, 336, 340, 344
pacificus, 131, 132, 169, 254, 257, 258-263, 320, 321, 324, 332, 340, 344
peninsularis, 131, 132, 182, 184
phylogeny, 302-325
planulatus, 168, 238-240, 242, 243, 244, 245, 246, 267, 305, 310, 320, 324, 329, 332, 336, 340, 344

Schizogenius (continued)
planuloides, 131, 132, 168, 240, 241-246, 305, 310, 320, 324, 329, 332, 344
pluripunctatus, 165, 166, 167, 217, 218, 219, 220, 221-223, 226, 227, 228, 269, 315, 320, 324, 329, 332, 336, 339, 344
plurisetosus, 131, 132, 138, 167, 209, 214-216, 217, 218, 219, 220, 221, 224, 226, 227, 228, 320, 324, 329, 332, 339, 344
putzeysi, 171, 198, 325
pygmaeus, 131, 132, 138, 169, 214, 263, 265, 270-277, 278, 279, 281, 285, 286, 288, 294, 295, 296, 297, 298, 299, 300, 307, 310, 311, 321, 322, 324, 327, 329, 331, 332, 336, 340, 344
quadripunctatus, 170, 202-204, 325
quinquesulcatus, 149, 153-154, 155, 163, 164, 325
reichardti, 131, 132, 171, 192, 193-194, 195, 325
riparius, 197, 325
sallei, 145, 146, 147, 168, 229-230, 242, 243, 244, 245, 324, 332, 341, 344
scopaeus, 131, 132, 138, 169, 242, 270, 276, 278-281, 285, 294, 295, 296, 297, 298, 299, 300, 307, 310, 311, 321, 324, 329, 332, 336, 340, 344
sculptilis, 131, 132, 149, 156-158, 160, 163, 164, 322, 325, 327, 328, 331, 332, 337
sellatus, 171, 202
seticollis, 138, 209, 320, 332, 339, 344
seticollis seticollis, 167, 209-212, 214, 216, 221, 224, 226, 227, 228, 320, 324, 329
seticollis vandykei, 131, 132, 167, 211, 212-214, 226, 227, 228, 320, 324, 329, 339
simplex, 221, 223
strigicollis, 142-143, 165-167, 171, 191, 195, 325
sulcatulus, 171
sulcatus, 179
sulcifrons, 141, 169, 238, 240, 246, 251, 265-268, 295, 297, 321, 324, 332, 336, 340, 344
suturalis, 131, 132, 149, 160, 162-165, 325
szekessyi, 149, 155, 156, 163, 164, 165, 322, 325
taxonomy, 142-301
tenuis, 146, 147, 149, 156, 157, 158-161, 162, 163, 164, 322, 325, 327, 332, 337
tibialis, 131, 132, 136, 168, 197, 231, 232, 234-236, 243, 244, 245, 304, 306, 307, 309, 310, 311, 320, 324, 329, 332, 339, 344
tristriatus, 168, 225, 231-232, 234, 243, 244, 245, 256, 264, 320, 324, 329, 332, 339, 344
tristriatus longipennis, 254
truquii, 167, 204-206, 226, 227, 324, 325, 332, 338, 339, 341, 344
validus, 131, 132, 253, 254, 257
vandykei, 332, 344
zoogeography, 326-344
Schizophora, 68, 69
Schoute, E., (see Buck, A.) 15, 16, 19, 45, 49
Schubert, J. H., 29, 57
Schulze, L., 360, 376
Schwardt, H. H., (see Tashiro, H.) 10, 58
Scotogramma trifolii, 97
Sehgal, V. K., 384, 388, 389, 396
Sella, M., 18, 20, 57
Senecio, 377, 378, 379, 385, 387, 388, 389
alpinus, 379, 385, 386
atropurpureus tomentosus, 389
congestus var. *palustris*, 389
cruentus, 389
doria, 389
fluviatilis, 379, 387
fuchsii, 379, 387
jacobaea, 378, 379, 385, 386, 387, 389, 404
lugens, 379, 385, 386, 394, 404
mikanioides, 389
nemorensis, 379, 387, 404
pauperculus, 379, 386
sheldonensis, 379, 394
squalidus, 389

Senecio (continued)
subalpinus, 379, 387
vernalis, 389
vulgaris, 389
yukonensis, 389
Senecioneae, 377, 378, 382, 386
Sergentomyia squamirostris, 26, 27
Sericothripina, 123
Sericothripini, 123
Service, M. W., 6, 9, 20, 21, 58
Shambaugh, G. F., 36, 40, 41, 58, (see Fisk, F. W.) 26, 36, 40, 41, 43, 51
Sharp, D., 359, 376
Shipley, A. E., (see Nuttall, G. H. F.) 15, 17, 56
Short, J. R. T., 102, 119
Shute, P. G., 13, 14, 15, 16, 44, 58
Silberman, M. L., (see Hopkins, D. M.) 335, 347
Simmons, J. S., (see St. John, J. H.) 44, 57
Simpson, G. G., 139, 140, 141, 327, 348
Simuliid, 60, 61
larvae, 4
Simuliidae, 10, 49, 50, 51, 60
Simulium, 55
anatinum, 27
aureum, 10, 27
croxtoni 10, 27
damnosum, 10, 11, 27, 50, 55
griseicolle, 27
latipes, 10, 27
neavei, 27, 55
parnassum, 31
pupae, 4
quebecense, 10, 27
rugglesi, 10, 27, 36, 41, 49
venustum, 11, 17, 27, 31, 36, 39, 40, 41
vittatum, 31, 36, 43
Siphunculata, 6
Skopin, N. G., 360, 361, 376
Smith, D. S., 367, 376
Smith, E. M., (see Freyvogel, T. A.) 17, 43, 52
Smith, J. B., 141, 348
Smith, J. J. B., (see Friend, W. G.) 7, 52
Sneath, P. H. A., (see Sokal, R. R.) 137, 348
Snodgrass, R. E., 5, 58
Snow, S. J., 93, 110, 119
Social Evolution, 130
Sokal, R. R., 136, 137, 302, 306, 348, (see Camin, J. H.) 141, 315, 345
Somaticus, 376
Somers, G. F., (see Sumner, J. B.) 35, 58
Sønderup, H. P. S., 388, 389, 396
Spaelotis clandestina, 104, 120
Spelaeodytes mirabilis, 196
Spencer, K. A., 70, 76, 378, 379, 381, 382, 383, 384, 386, 390, 392, 396, 399
Sphaeriontis, 373
Sphingoidea, 63
spider, 129
lycosid, 83
Spilichneumon, 118
superbus, 95, 97-98, 99, 113, 114, 115, 116
Spilman, T. J., 359, 376
Spirochaeta duttoni, 23
Spodoptera frugiperda, 93
stable fly, 49, 50, 58
Stage, H. H., 9, 58
Stahler, N., (see Terzian, L. A.) 21, 45, 58
Starý, B., 383, 387, 388, 396
Staubli, W., 23, 24, 58, (see Freyvogel, T. A.) 23, 24, 25, 52
Steffan, A. W., 4
Stegomyia (Aedes) aegypti, 57
Steinheil, E., 133, 188, 348
Stenopneusticae, 118
Stenosini, 361
Stephen, W. P., (see Bohart, G. E.) 93, 117
Stohler, H. R., 23, 24, 46, 58
Stomoxys calcitrans, 6, 10, 11, 16, 17, 21, 22, 28, 32, 35, 36, 42, 44, 49, 50, 53, 55, 57
indica, 16
sitiens, 17
Strickland, E. H., 1, 82, 83, 84, 87, 89, 90, 98, 101, 103, 106, 107, 110, 114, 119
strigicollis-elongatus-carinatus lineage, 311, 314, 315
strigicollis group, 171, 191-192, 317, 323, 327
lineage, 314, 323
-truquii lineage, 314
substriatus group, 308
Sudia, W. D., (see Chamberlain, R. W.) 44, 50

Suenaga, O., 10, 58
sulcifrons subgroup, 321
Sullivan, W. N., (see Schechter, M. S.) 351, 353
Sumner, J. B., 35, 58
Suter, J., (see Stäubli, W.) 23, 24, 58
Swartzwelder, J. C., (see Zeldón, R.) 6, 8, 60
Swellengrebel, N. H., (see Buck, A.) 15, 16, 19, 45, 49
Sympetrum internum, 3
syngenesiae group, 69
Syngrapha epigaea, 104, 107, 120
Systoechus somali, 118
  vulgaris, 93, 117
Tabanid, 29
Tabanidae, 10, 51, 56
Tabanus, 11, 27, 28, 50
  albimedius, 16, 27
  quinquevittatus, 10
  septentrionalis, 10
  sulcifrons, 10
Tachinid, 84
  hosts, 94
Tachinidae, 83-92, 113, 117, 119
tachyine beetles, 346
Tachys, 335
Taraxacum officinale, 82
Tashiro, H., 10, 58
Tatchell, R. J., 16, 17, 40, 58
Taufflieb, R., (see Mattern, P.) 30, 56
Tawfik, M. S., 8, 58
Taylor, R. L., 110, 112, 119
Tempelis, C. H., (see Anderson, J. R.) 6, 10, 22, 32, 49
Templis, C. F., 30, 58
Tenebrio, 360
Tenebrionid, 362, 367, 374, 375
  larvae, 94
Tenebrionidae, 353, 375, 376
Tenebrionidi, 376
Tenebrioninae, 361, 362
Tenebrionini, 360, 361
Tenebrionoidea,
  familial and subfamilial classification of, 357-374
  morphological and ecological characteristics, 358-361
Tenorio, P. A., (see Wagner, C.) 35, 36, 46, 59
Tenorio, P. A. (continued)
Tentyriidae, 357-374
Tentyriinae, 358, 359, 360, 361, 362, 375
Tentyriine, 360
Tentyriini, 360, 364
tenuis group, 131, 132, 148, 156-171, 312, 317, 322, 323, 327, 337
  lineage, 323
Tephritid larva, 392
Terebrantia, 123
termites, 129
Terzian, L. A., 20, 21, 45, 58, (see Wagner, C.) 35, 36, 46, 59
Theodor, O., (see Adler, S.) 10, 11, 14, 17, 27, 48
Thompson, W. R., 82, 119
Thomson, J. D., (see Minchin, E. A.) 28, 56
Thrassis bacchi gladiolis, 22
Thripidae, 123
Thripinae, 123
Thripoidea, 123
Thurman, D. C., 8, 58
Thysanoptera, 123
Tiarella, 67, 70
  trifoliata, 74, 80
tick, 50, 125
  cultures, 126
tiger beetles, 315
Tiphia, larvae, 117
Tolmiea, 67, 70
  menziesii, 74
Torren, G. v. d., (see Buck, A.) 19, 45, 50
Tortricid, 118
Tortricidae, 119
Tortrix alleniana, 102
torvus group, 308
Tothill, J. D., 84, 91, 119
Townes, H., 101, 102, 119
Townes, M., (see Townes, H.) 101, 102, 119
Trachynotina, 376
Trainer, D. O., (see Anderson, J. R.) 10, 49
Treherne, R. C., 110, 119
Trembley, H. L., 7, 12, 58
Treponema pertenue, 44
Tretothorax, 358, 361
Triatoma, 33, 44, 56
  dimiata, 6, 8, 60
  gerstaeckeri, 8, 44, 57, 58

Triatoma (continued)
heidemani, 44
infestans, 6, 8, 14, 17, 32, 34, 52
lectularia, 44
maculata, 13, 14, 38
protracta, 44
rubrofasciata, 13, 14, 44
sanguisuga, 8, 44, 53
sanguisuga texana, 8, 57
uhleri, 44
Triatomidae, 59
Triatominae, 53, 57
Tricholabus, 118
Trichoptera, 348
Triorophini, 361, 364
Triplehorn, C. A., 370, 373, 376
tristiatus group, 168, 231-246, 264, 302, 311, 317, 318, 320, 327, 338, 339, 344
subgroup, 320
truquii-capitalis, lineage, 314
truquii group, 167, 204-206, 302, 311, 317, 323, 339, 341
lineage, 131, 132, 311, 312, 314, 315, 316-320, 322, 323, 324, 325, 328, 335, 337, 338, 339, 340, 341, 344
Trypanosoma bocagei, 27
brucei, 44
evansi, 44
gambiense, 44
grayi, 47, 53
hippicum, 44
lewisi, 28, 56
Tschirnhaus, M. von, 68, 69, 76
tsetse flies, 5, 13, 18, 28, 47, 48, 50, 54, 55, 56, 57, 59
Tuomikoski, R., 302, 303, 348
Turner, T. B., (see Kumm, H. W.) 44, 54
Tussilago, 377, 378, 379, 380, 381, 388, 389, 390, 391
farfara, 382, 383, 390, 391, 392, 402
Ulomimorpha, 360
Ulomini, 360
Upmanis, R. S., (see Yoeli, M.) 46, 60
Usinger, R. L., (see Mayr, E.) 348
Uvarov, B. P., 5, 59
Uzelothripidae, 123
Vance, A. M., 101, 119
Vanderplank, F. L., 22, 59
Van Dyke, E. C., 133, 270, 348
Venard, C. E., (see Devine, T. L.) 13, 51, (see Guptavanij, P.) 11, 53
Vickery, R. K., Jr., (see Lindsay, D. W.) 310, 347
Viereck, H. L., 104, 120
Villa, 93
alternata, 112, 113, 114, 116
fulviana, 113, 116
(Hemipenthes) moroides, 94
lateralis, 112, 113, 116
moroides, 113, 116
(Villa) alternata, 94
(Villa) fulviana, 94
(Villa) lateralis, 94
Vinson, J., 143, 348
virus, 125-127
Voigt, G., 387, 396
Vonk, H. J., 5, 59
Wagner, C., 35, 36, 46, 59
Wagneria, 90, 119
Waldbauer, G. P., 5, 59
Walkden, H. H., 104, 110, 120
wasps, 129
Waterhouse, D. F., 5, 29, 59, (see Day, M. F.) 5, 43, 51
Watt, J. C., 357, 358, 359, 360, 361, 376
Wattal, B. L., 8, 59
wax embedded specimens, rapid orientation of, 61-62
Webb, D. A., 67, 73, 74, 76
Webster, R. L., 104, 119
weevil, white pine, 112, 119
Weis, K. H., (see Schildknecht, H.) 359, 376
Weiss, E., 125
Weitz, B., 28, 29, 31, 32, 59
West, A. S., 5, 29, 59, (see Downe, A. E. R.) 30, 51, (see Gosbee, J.) 17, 52, (see Orr, C. W. M.) 17, 56
Wharton, R. H., 9, 59
Whitehead, D. R., 131-344, 348
Whitehouse, F. C., 97, 110, 120
Wigglesworth, V. B., 5, 7, 11, 16, 17, 23, 28, 32, 33, 43, 59
Williams, C. A., Jr., 29, 31, 33, 59
Williams, P., (see Kershaw, W. E.) 6, 10, 54
Willis, H. L., 315, 348
Wilson, E. O., 129, 320, 321, 348, (see Brown, W. L., Jr.) 292, 336, 345

Wistreich, G. A., (see Chao, J.) 21, 50
Wolfe, J. A., (see Hopkins, D. M.) 335, 347
Wood, G. W., 102, 104, 107, 110, 120
Woodard, D. B., 9, 59
Wright, W. R., 11, 59
Wuchereria bancofti, 54, 59
Xenopsylla cheopis, 2, 22
Xylophanes pluto, 64
Xystodesmidae, 346
Yaguzhinskaya, L. W., 24, 60
Yang, Y. J., 11, 17, 35, 36, 38, 39, 40, 41, 43, 60, (see Davies, D. M.) 36, 39, 41, 43, 50
Yates, W. W., (see Stage, H. H.) 9, 58
Yoeli, M., 46, 60
Yorke, W., 13, 14, 15, 16, 17, 28, 60
Yponomeutid, 100
Zaman, V., 31, 60
Zeledón, R., 6, 8, 60
Zoerner, H., 387, 396
Zopheridae, 358
Zopherosis, 361
Zopherus, 358
Zophosini, 357, 362, 363, 371
Zophosis, 362, 364, 367, 369, 370
  plana, 363, 365, 366, 368
  reticulata, 373
Zúñiga, A., (see Zeledón, R.) 6, 8, 60
Zuska, J., 83, 120